# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 369 | mounting adj apparatus and equation | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 08:54 |
| L2 | 1 | mounting adj apparatus and equation and holding adj device and positioning adj device | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 08:54 |
| L3 | 18 | mounting adj apparatus and equation and holding adj device | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 08:56 |
| L4 | 30 | mounting adj apparatus and equation and holding and "29"/$.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 08:58 |
| L5 | 79 | mounting adj apparatus and equation and holding and positioning | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:06 |
| L6 | 0 | mounting adj apparatus near equation and holding and positioning | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:08 |
| L7 | 0 | mounting adj apparatus near equation | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:09 |
| L8 | 2 | mounting adj apparatus and slope adj side near surface | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:26 |
| L9 | 0 | holding adj device and slope adj side near surface | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:27 |
| L10 | 0 | slope adj side near surface and 29/740. ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:27 |

| L11 | 2 | slope adj surface and 29/740.ccls. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:27 |
|-----|-----|-----|-----|-----|-----|-----|
| L12 | 555 | mounting adj apparatus and slope | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:29 |
| L13 | 0 | mounting adj apparatus and roller adj member near slope | USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/01/16 09:29 |
| L14 | 9 | mounting adj apparatus and roller adj member and slope | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:29 |
| L15 | 9 | mounting adj apparatus and holding adj device and positioning and slope | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:31 |
| L16 | 52 | 29/740.ccls. and nozzle and chuck | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:44 |
| L17 | 8 | ("20020017020" \| "20030088974" \| "5671527" \| "6094808" \| "6178626" \| "6256869" \| "6807726" \| "6976304").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/01/16 09:46 |
| L18 | 8 | 29/740.ccls. and suction adj head and rotating near shaft | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:51 |
| L19 | 4 | 29/743.ccls. and suction adj head and rotating near shaft | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:51 |
| L20 | 13 | suction adj head and rotating near shaft and slope and bearing | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 09:56 |
| L21 | 0 | ( -5,969,783 - 6,235,520 -6,468,098 - 6,485,690 -6,721,029 - 7,195,503).pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 10:41 |

| L22 | 10 | ("5,969,783" "6,235,520" - 6,468,098 "6,485,690" "6,721,029" "7,195,503").pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 10:42 |
| L23 | 18 | ( "4,951,388" "5,255,429" "5,894,657" "6,343,415" "6,374,484" "6,571,462" "6,370,764" "6,629,007" "6,862,803").pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/16 10:43 |
| L24 | 24 | ("4858308 \| "5018936").PN. OR ("5255429").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/01/16 10:47 |

1/16/09 10:49:33 AM
C:\ Documents and Settings\ mtrinh1\ My Documents\ EAST\ Workspaces\ 11773434.wsp